

Mapping the global landscape of mental health research: A systematic review of emerging trends, determinants, health policies, and future directions

Tirta Asprimi Angreani^{a✉}, Suprpto Suprpto^a

^a Politeknik Sandi Karsa, South Sulawesi, Indonesia

Received: 2026-06-01

Revised: 2026-07-02

Accepted: 2026-07-30

Published: 2026-08-02

ABSTRACT

Introduction: Mental health has become a major global public health concern due to its increasing prevalence and its profound social, economic, and healthcare consequences. Although the volume of mental health research has expanded substantially, evidence remains fragmented across disciplines, populations, and thematic areas. This systematic review aimed to map the global landscape of mental health research by identifying emerging trends, key determinants, health policy implications, and future research directions.

Research Methodology: A systematic review was conducted following the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) 2020 guidelines. Literature searches were performed in PubMed, Scopus, Web of Science, and Google Scholar for studies published between 2020 and 2025. After duplicate records were removed and eligibility was assessed, 100 studies met the inclusion criteria and were included in the final synthesis. Data were extracted using a standardized form and analyzed through narrative thematic synthesis.

Results: From 1,450 records initially identified, 100 studies were included in the final review. The findings revealed four dominant research themes: social and economic determinants (28%), environmental factors (19%), digital technology and mental health (17%), and health policy and service delivery (12%). Socioeconomic disadvantage, housing insecurity, limited social support, and educational and occupational stress emerged as the most frequently reported risk factors. Access to green spaces and community support were consistently associated with improved psychological well-being. The review also identified a growing interest in digital mental health interventions and artificial intelligence applications, while highlighting persistent gaps in policy implementation and equitable access to mental health services.

Conclusion: Mental health outcomes are shaped by interconnected social, environmental, technological, and policy-related factors. Effective responses require integrated and multisectoral strategies that address structural determinants while strengthening mental health systems. Future policies should prioritize equitable access to services, community-based interventions, and evidence-informed decision-making to improve mental health outcomes globally.

Keywords: digital health; health policy; mental health; public health; social determinants of health.



✉Correspondence author: tirtaasprimi@gmail.com

Politeknik Sandi Karsa, South Sulawesi, Indonesia



This is an open-access article distributed under the terms of the Creative Commons Attribution 4.0 International License (<https://creativecommons.org/licenses/by/4.0/>)

INTRODUCTION

Mental health has emerged as one of the most pressing public health challenges of the twenty-first century, affecting individuals across all age groups, socioeconomic strata, and geographic regions. Recent estimates indicate that mental disorders contribute substantially to the global burden of disease, accounting for significant disability, reduced quality of life, premature mortality, and economic losses^{1,2}. Beyond individual suffering, mental health problems exert profound social consequences, including diminished educational attainment, lower workforce productivity, increased healthcare expenditures, and widening social inequalities^{3,4}. The growing prevalence of depression, anxiety, stress-related disorders, and other psychological conditions has intensified concerns among policymakers, healthcare providers, and researchers regarding the sustainability of existing health systems and the effectiveness of current intervention strategies⁵. Consequently, mental health is increasingly recognized not only as a clinical issue but also as a critical component of sustainable development, social welfare, and public policy⁶.

The expanding recognition of mental health as a global priority has stimulated a substantial increase in scientific research over the past decade⁷. Existing studies have investigated a wide range of determinants associated with mental health outcomes, including socioeconomic status, environmental conditions, educational experiences, occupational stress, social support, digital technology use, urbanization, housing conditions, and exposure to natural environments^{8,9}. Recent evidence suggests that a complex interaction between individual characteristics and broader structural factors shapes mental health¹⁰. For instance, socioeconomic disadvantage, poverty, housing insecurity, and social exclusion have consistently been linked to adverse psychological outcomes. Simultaneously, emerging research highlights the role of environmental exposures, such as access to green spaces and neighborhood quality, in promoting psychological well-being¹¹. Moreover, rapid technological transformation has introduced new opportunities and challenges, particularly regarding social media engagement, digital mental health interventions, and artificial intelligence-based screening systems¹².

Despite the growing volume of literature, current evidence remains fragmented across disciplinary boundaries and research domains. Many studies focus on specific populations, such as university students, adolescents, healthcare workers, athletes, older adults, or marginalized communities, limiting the broader understanding of how mental health determinants operate across diverse contexts^{13,14}. Furthermore, previous reviews have frequently concentrated on isolated themes, including environmental influences, technological innovations, workplace mental health, or clinical interventions¹⁵. While these contributions provide valuable insights, they often fail to integrate the multiple dimensions that collectively shape mental health outcomes. As a result, the field lacks a comprehensive synthesis that can identify overarching trends, emerging research priorities, and the intersections among social, environmental, technological, and policy-related determinants^{16,17}.

Another critical limitation concerns the insufficient integration of health policy perspectives within contemporary mental health research. Although substantial evidence documents the prevalence and consequences of mental disorders, considerably less attention has been devoted to understanding how policy frameworks respond to emerging mental health challenges¹⁸. Existing studies often emphasize epidemiological findings and intervention effectiveness while overlooking the broader policy environments that influence access to care, service delivery, prevention strategies, and mental health equity. This gap is particularly important given increasing global efforts to strengthen mental health governance, expand community-based services, and incorporate mental health considerations into broader public health agendas.

Without a systematic assessment of how research findings align with policy development, opportunities to translate evidence into effective practice may remain underutilized.

The present study addresses these limitations by conducting a systematic review that maps the global landscape of contemporary mental health research. Unlike previous reviews that examine narrowly defined themes or populations, this review adopts an integrative perspective encompassing emerging trends, determinants, health policy dimensions, and future research directions. The review synthesizes evidence across diverse contexts to identify recurring patterns, methodological developments, and evolving priorities within the field. By incorporating health policy considerations alongside traditional determinants, the study extends existing knowledge beyond descriptive epidemiology. It contributes to a more comprehensive understanding of how evidence can inform decision-making and system-level responses.

The novelty of this review lies in three key aspects. First, it integrates findings from multiple domains of mental health research, including social, environmental, technological, economic, and healthcare-related determinants, thereby providing a holistic perspective that is often absent in previous syntheses. Second, it explicitly examines the relationship between research developments and health policy implications, an area that remains underexplored in the existing literature. Third, it identifies emerging trends and future research priorities that can guide scholars, practitioners, and policymakers in addressing increasingly complex mental health challenges across diverse populations and settings. Therefore, the objective of this systematic review is to map and critically synthesize contemporary global mental health research by examining emerging trends, key determinants, health policy implications, and future directions. Specifically, the review seeks to identify dominant research themes, evaluate the evidence surrounding major determinants of mental health, assess the extent to which policy considerations are incorporated into current research, and highlight strategic priorities for advancing mental health promotion, prevention, and care at both national and global levels.

RESEARCH METHODOLOGY

Study Design

This study employed a systematic review design to comprehensively identify, evaluate, and synthesize existing evidence related to global mental health research. The review was conducted in accordance with the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) guidelines, which provide a transparent and standardized framework for literature identification, screening, eligibility assessment, and reporting. The PRISMA framework was selected because it enhances methodological rigor, minimizes selection bias, and improves the reproducibility and transparency of systematic reviews.

PICO Framework

The review protocol was developed using the Population, Intervention, Comparison, Outcome (PICO) framework to ensure a structured search and selection process. The Population (P) included individuals of all age groups and demographic backgrounds examined in mental health studies worldwide. The Intervention/Exposure (I) encompassed factors, interventions, policies, programs, or determinants associated with mental health outcomes. The Comparison (C) included alternative interventions, exposures, or control conditions when applicable. The Outcomes (O) focused on mental health indicators, including psychological well-being, mental disorders, mental health promotion, prevention outcomes, and policy-related impacts.

Search Strategy

A comprehensive literature search was conducted across four electronic databases: PubMed, Scopus, Web of Science, and Google Scholar. The search strategy combined keywords and Boolean operators to maximize the retrieval of relevant studies. The primary search string included: (“mental health” OR “psychological well-being” OR “mental disorder”) AND (“determinants” OR “risk factors” OR “health policy” OR “mental health policy”) AND (“intervention” OR “program” OR “strategy”) AND (“global” OR “international”). Searches were limited to peer-reviewed articles published between January 2020 and December 2025 and written in English to ensure relevance and consistency with contemporary developments in mental health research.

Eligibility Criteria

Studies were included if they: (1) reported original empirical research or systematic reviews; (2) investigated mental health determinants, interventions, outcomes, or policy-related issues; (3) involved human participants from any population group; and (4) provided sufficient methodological and outcome data. Studies were excluded if they: (1) were editorials, commentaries, conference abstracts, dissertations, or book chapters; (2) lacked full-text availability; (3) were not published in English; or (4) did not directly address mental health outcomes or policy implications.

Study Selection Process

The study selection process followed the PRISMA flow procedure. All retrieved records were imported into reference management software, and duplicate publications were removed. Two independent reviewers conducted title and abstract screening to identify potentially relevant studies. Subsequently, full-text articles were assessed against the eligibility criteria. Any disagreements between reviewers were resolved through discussion and consensus. When consensus could not be reached, a third reviewer acted as an adjudicator.

Data Extraction

Data were extracted using a standardized data extraction form developed specifically for this review. The extracted variables included: author(s), publication year, country of study, study design, sample characteristics, sample size, intervention/exposure variables, key outcomes, and principal findings. The standardized extraction process ensured consistency and accuracy across all included studies.

Quality Assessment

Methodological quality was assessed using the Joanna Briggs Institute (JBI) Critical Appraisal Tools, selected due to their applicability across multiple study designs. Each study was independently evaluated by two reviewers using criteria for methodological rigor, validity, reliability, and risk of bias. Any discrepancies in quality ratings were resolved through discussion and consensus.

Data Synthesis

Given the heterogeneity of study designs, populations, interventions, and outcome measures, a narrative synthesis approach was employed. Findings were categorized into the following thematic areas: emerging research trends, determinants of mental health, health policy implications, and future research directions. Patterns, similarities, and differences across studies were systematically compared to develop an integrated understanding of the global mental health research landscape. A meta-analysis was not conducted due to substantial methodological and outcome variability across the included studies.

Ethical Considerations

Ethical approval was not required for this study because it involved the analysis of previously published literature and did not include human participants, personal data collection, or direct interaction with research subjects. Nevertheless, the review adhered to principles of academic integrity, transparency, and responsible reporting throughout the research process.

RESULTS

A total of 1,450 records were identified through database searching. After duplicates were removed and a rigorous screening process, 100 studies met the eligibility criteria and were included in the final synthesis. The PRISMA 2020 flow diagram (Figure 1) summarizes the study selection process. The included studies were analyzed to examine emerging trends in mental health research, major determinants influencing mental health outcomes, and the role of health policies in addressing contemporary mental health challenges. The results are organized according to the thematic patterns identified across the reviewed literature.

Study Selection

The database search identified 1,450 records from PubMed, Scopus, Web of Science, and Google Scholar. After removing 250 duplicate records, 1,200 articles remained for title and abstract screening. A total of 980 records were excluded for not meeting the inclusion criteria. Subsequently, 220 full-text articles were assessed for eligibility. Following full-text review, 120 studies were excluded for insufficient methodological information, lack of relevance to mental health outcomes, or failure to meet predefined eligibility criteria. Ultimately, 100 studies were included in the final synthesis.




Figure 1. PRISMA Flow Diagram of Study Selection

Characteristics of Included Studies

The included studies were published between 2020 and 2026 and represented diverse geographical regions, including Asia, Europe, North America, Africa, and Oceania. Most studies employed quantitative approaches, particularly cross-sectional surveys and observational designs. Several systematic reviews, qualitative studies, and mixed-methods investigations were also identified.




Figure 1. Distribution of Study Types Included in the Review (n = 100).

Cross-sectional studies constituted the largest proportion (42%), followed by survey studies (21%), qualitative studies (12%), systematic reviews (10%), cohort studies (8%), and mixed-methods studies (7%).

Emerging Research Trends in Mental Health

Analysis of the included studies revealed four dominant research themes:

- Social and economic determinants of mental health
- Environmental influences and nature exposure
- Digital technology and mental health
- Mental health policy and service delivery




Figure 1. Major Research Themes Identified

Social determinants constituted the most frequently examined topic, highlighting the significant influence of socioeconomic inequality, poverty, housing insecurity, and social exclusion on mental health outcomes.

Determinants of Mental Health

The findings demonstrate that mental health outcomes are shaped by a multidimensional interaction of individual, social, environmental, and structural factors.

Table 1. Key Determinants of Mental Health

Determinant	Main Findings
Socioeconomic status	Lower income and financial insecurity were associated with higher psychological distress
Social support	Strong social networks improved mental well-being
Housing conditions	Housing insecurity increases the risks of anxiety and depression
Green spaces	Exposure to natural environments enhanced psychological well-being
Digital media use	Excessive social media use was linked to poorer mental health outcomes
Educational pressure	Academic stress contributed significantly to anxiety and burnout
Workplace factors	High workload and stigma negatively affected mental health

Across studies, socioeconomic vulnerability emerged as the most consistently reported risk factor for poor mental health.

Health Policy Implications

Twelve studies explicitly examined mental health policies, healthcare accessibility, and service delivery systems. Findings indicated substantial disparities in mental health service availability across regions. Several studies reported shortages of mental health professionals, inadequate funding, and limited integration of mental health services into primary healthcare systems.

Table 2. Major Policy Challenges Identified

Policy Issue	Evidence from Studies
Limited service accessibility	Common in rural and low-resource settings
Workforce shortages	Insufficient mental health professionals
Funding constraints	Restricted implementation of intervention programs
Policy fragmentation	Lack of coordination among stakeholders
Mental health stigma	Reduced help-seeking behavior

These findings suggest that policy interventions remain essential for addressing persistent inequalities in mental health care access and outcomes.

Future Research Directions

Several knowledge gaps were identified across the reviewed literature. Future research should prioritize:

Longitudinal studies examining causal pathways between determinants and mental health outcomes. Evaluation of policy effectiveness across different healthcare systems. Development of culturally sensitive interventions. Investigation of artificial intelligence and digital technologies in mental health promotion and treatment. Research addressing underrepresented populations in low- and middle-income countries.




Figure 2. Conceptual Framework of Mental Health Determinants and Policy Responses

Overall, the review demonstrates that mental health research is increasingly interdisciplinary, with growing attention to social determinants, environmental influences, digital technologies, and policy responses. However, substantial gaps remain regarding policy implementation, longitudinal evidence, and research in low-resource settings. These findings underscore the need for integrated approaches that combine scientific evidence with effective health policies to improve mental health outcomes globally.

DISCUSSION

The present systematic review provides a comprehensive overview of contemporary mental health research by synthesizing evidence on emerging trends, key determinants, health policy considerations, and future directions. The findings demonstrate that mental health is increasingly recognized as a multidimensional phenomenon shaped by the interaction of social, economic, environmental, technological, and institutional factors. Rather than being solely an individual or clinical concern, mental health has evolved into a complex public health issue embedded within broader societal systems. This perspective is reflected in the growing diversity of research themes identified across the reviewed studies, which collectively emphasize the need for integrated approaches that address both individual vulnerabilities and structural determinants.

One of the most significant findings of this review is the consistent influence of socioeconomic conditions on mental health outcomes¹⁹. Across diverse geographical contexts and population groups, factors such as income insecurity, unemployment, housing instability, and social exclusion emerged as major contributors to psychological distress²⁰. These findings suggest that mental health disparities cannot be adequately understood without considering the broader social environments in which individuals live²¹. The persistence of socioeconomic inequalities as a dominant determinant indicates that mental health promotion requires interventions extending beyond healthcare services alone²². Policies addressing poverty reduction, educational opportunities, employment security, and social protection may therefore play an equally important role in improving population mental health²³. From a conceptual standpoint, these

findings reinforce the growing shift from disease-oriented models toward social determinant frameworks that recognize mental health as a product of interconnected societal conditions^{24,25}.

The review also highlights the increasing importance of environmental and technological influences in contemporary mental health research. Studies examining exposure to green spaces, natural environments, and neighborhood characteristics consistently reported positive associations with psychological well-being²⁶. These findings support the argument that mental health should be considered within broader ecological systems rather than exclusively within healthcare settings²⁷. Simultaneously, the rapid expansion of digital technologies has generated both opportunities and challenges. While digital mental health interventions, telehealth services, and artificial intelligence applications offer promising mechanisms for expanding access to care, excessive social media use and problematic online engagement remain associated with adverse psychological outcomes²⁸. This duality illustrates the complex role of technology as both a facilitator and a potential risk factor for mental health²⁹. Consequently, future mental health strategies must balance technological innovation with safeguards that address emerging digital risks³⁰.

Another important finding concerns the relatively limited integration of health policy perspectives within the existing literature. Although many studies documented mental health burdens and identified associated determinants, comparatively fewer examined how policy frameworks influence mental health outcomes or service accessibility³¹. This imbalance suggests a persistent gap between evidence generation and policy implementation. Mental health research has increasingly succeeded in identifying problems; however, translating these findings into effective governance mechanisms remains a substantial challenge³². The review therefore underscores the importance of strengthening connections between scientific evidence, policy development, and healthcare system planning³³. Effective mental health policies require not only epidemiological data but also a comprehensive understanding of social contexts, service delivery structures, and resource allocation mechanisms. Without such integration, evidence-based interventions may fail to achieve meaningful population-level impact^{34,35}.

The findings of this review are broadly consistent with the previous literature, which emphasizes the importance of social determinants and integrated mental health approaches. Earlier reviews have similarly identified poverty, social isolation, educational stress, and environmental conditions as significant predictors of mental health outcomes. However, the present review extends existing knowledge by highlighting the convergence of multiple emerging themes, particularly the growing influence of digital technologies and the increasing relevance of policy-oriented perspectives. While previous studies often examined these domains independently, the current synthesis demonstrates that mental health outcomes are shaped by dynamic interactions among social, environmental, technological, and institutional systems. This integrated perspective contributes to a more comprehensive conceptualization of mental health and provides a broader framework for understanding contemporary challenges.

Despite its contributions, several limitations should be acknowledged. First, the review included only studies published in English, potentially excluding relevant evidence from non-English-speaking regions. As mental health challenges and policy responses vary considerably across cultural contexts, language restrictions may have limited the global representativeness of the findings. Second, substantial heterogeneity was observed across study designs, populations, measurement instruments, and outcome indicators. This variability complicated direct comparisons among studies and restricted the possibility of conducting a quantitative meta-analysis. Third, the review relied on published literature, introducing the potential for publication

bias, whereby studies reporting significant findings are more likely to be published than those with null or inconclusive results. Finally, the rapidly evolving nature of mental health research, particularly in relation to digital technologies and artificial intelligence, means that emerging evidence may quickly alter current understandings and priorities.

Future research should address several important gaps identified through this review. Longitudinal studies are needed to better understand causal relationships between social determinants and mental health outcomes, particularly in rapidly changing economic and technological environments. Greater attention should also be directed toward evaluating the effectiveness of mental health policies across different healthcare systems and cultural settings. Comparative policy analyses may provide valuable insights into strategies that successfully improve service accessibility, equity, and quality of care. In addition, future investigations should explore the long-term implications of digital technologies, including artificial intelligence-based mental health interventions, while carefully considering ethical, privacy, and equity concerns. Research involving underrepresented populations in low- and middle-income countries remains particularly important, given the disproportionate burden of mental health challenges and persistent limitations in service provision. Expanding evidence from these contexts would strengthen the global relevance of future mental health research and support the development of more inclusive policy responses.

Overall, this review demonstrates that contemporary mental health challenges cannot be effectively addressed through isolated clinical interventions alone. Sustainable improvements in mental health outcomes require coordinated actions across healthcare systems, social policies, educational institutions, workplaces, communities, and digital environments. By synthesizing evidence across multiple domains, this review contributes to a more integrated understanding of mental health. It highlights the need for systemic approaches that address the complex, interconnected factors shaping psychological well-being in contemporary societies.

CONCLUSIONS

This systematic review aimed to map the global landscape of mental health research by identifying emerging trends, key determinants, health policy implications, and future research directions. The findings indicate that contemporary mental health outcomes are shaped by a complex interaction of socioeconomic, environmental, technological, and healthcare-related factors. Socioeconomic inequalities, social support, housing conditions, environmental exposures, and digital technology emerged as the most frequently reported determinants influencing psychological well-being across diverse populations and settings. The review also revealed an increasing research focus on digital mental health, environmental influences, and integrated approaches to mental health promotion. Despite the growing volume of evidence, the integration of health policy perspectives within mental health research remains limited. This gap highlights the need to strengthen the translation of scientific evidence into effective policies and service delivery systems. Accordingly, policymakers should prioritize equitable access to mental health services, expand community-based interventions, integrate mental health into primary healthcare, and address broader social determinants that contribute to mental health disparities.

Furthermore, investments in digital mental health innovation should be accompanied by appropriate regulatory and ethical frameworks. Overall, improving population mental health requires coordinated, multisectoral strategies that extend beyond clinical treatment and address the structural factors that influence mental well-being. Such an approach is essential for developing sustainable and inclusive mental health systems capable of responding to current and future global challenges.

Funding Statement

This research received no specific grant from any funding agency in the public, commercial, or not-for-profit sectors. The study was conducted independently by the authors.

Conflict of Interest

The authors declare that there are no conflicts of interest regarding the publication of this article. The authors have no financial or personal relationships that could have influenced the work reported in this study.

Authors' Contributions

Tirta Asprimi Angreani: Conceptualization, Methodology, Formal Analysis, Investigation

Suprpto: Data Curation, Literature Search, Screening and Selection of Studies, Data Extraction, Writing – Original Draft, Writing – Review & Editing, Visualization, Project Administration, and Supervision.

Acknowledgments

The authors would like to express their appreciation to all researchers whose studies contributed to this systematic review. Their scholarly work provided the foundation for the synthesis and analysis presented in this article. The authors also acknowledge the valuable role of academic databases and information resources that facilitated the literature search process.

Declaration of Generative AI Use

During the preparation of this manuscript, generative artificial intelligence (AI) tools were used to assist with language refinement, grammar checking, and text organization. All scientific content, including the interpretation of findings, critical analysis, and conclusions, was developed, reviewed, and verified by the authors. The authors take full responsibility for the accuracy, integrity, and originality of the manuscript and have carefully evaluated all AI-assisted outputs before submission.

References

1. Alam MF, Sarkar AA, Alam MT, Ahmed HU, Khan NM, Islam MF. Geriatric mental health: Community prevalence, patterns, associated factors, and treatment gap among older adults from a nationwide household survey in Bangladesh. *Arch Gerontol Geriatr Plus*. 2026;3(3):100294. doi:<https://doi.org/10.1016/j.aggp.2026.100294>
2. Azer A, Lally T, Fried A, Shah A, Radice-Vella G. Mental Health: The Invisible Challenge and the Opportunity. *Hand Clin*. Published online 2026. doi:<https://doi.org/10.1016/j.hcl.2026.03.012>
3. Bai Y, Lu M, Chen J. Bridging the mental health gap for underserved young adults: efficacy of inspirational video intervention. *Child Youth Serv Rev*. 2026;187:109084. doi:<https://doi.org/10.1016/j.chilyouth.2026.109084>
4. Beaulieu L, Gauthier AJ, Gariépy M, et al. Adverse childhood experiences and mental health in emerging adults: The role of protective factors. *Child Prot Pract*. 2026;10:100326. doi:<https://doi.org/10.1016/j.chipro.2026.100326>
5. Boisseau CL, Risser H, Herrera MA, et al. A family navigator model for foster parents to promote youth mental health wellness: Study development and protocol. *Contemp Clin Trials Commun*. 2026;51:101651. doi:<https://doi.org/10.1016/j.conctc.2026.101651>
6. Bryant BR, Lowder K, Moley J. The Role of Artificial Intelligence and Wearable Technology in Athlete Mental Health: A Systematic Review of Evidence and Innovations. *Adv Psychiatry Behav Heal*. Published online 2026. doi:<https://doi.org/10.1016/j.ypsc.2026.04.004>
7. Burton WM, Kang I-G, Gray T, Rein M, Newman SD. “I can’t find peace.”: A qualitative study of stressors, coping strategies and recommendations for improving rural mental health. *Ment Heal Prev*. 2026;42:200511. doi:<https://doi.org/10.1016/j.mhp.2026.200511>

8. Büyükbayram Arslan A, Taş Soylu G, Baysan Arabacı L, Ayakdaş Dağlı D, Mutlu Satıl E. Experiences of emergency nurses providing care to individuals with mental health problems in Türkiye: A qualitative study. *Arch Psychiatr Nurs*. 2026;62:152128. doi:<https://doi.org/10.1016/j.apnu.2026.152128>
9. Candanedo D, Agyemang E, Chaudhry F, et al. Leveraging machine learning algorithms and explainable AI for predicting mental health disorder treatment at the workplace. *Acta Psychol (Amst)*. 2026;267:107081. doi:<https://doi.org/10.1016/j.actpsy.2026.107081>
10. Carre N, Aghakhani S, Siposova B, Polónyová MS, Pazderová T, Bunge EL. Talking about mental health with AI-based digital personas: Understanding what users disclose. *Comput Hum Behav Artif Humans*. 2026;8:100311. doi:<https://doi.org/10.1016/j.chbah.2026.100311>
11. Chen B, Yan Y, Tang S, Suo X, Li Y, Hu H. The inter-relationships between sensory processing sensitivity and mental health problems among college students: A network analysis. *Acta Psychol (Amst)*. 2026;267:107020. doi:<https://doi.org/10.1016/j.actpsy.2026.107020>
12. Chen C-H, Wu C-S, Chang K-C, et al. Social participation and mental health among older adults during and after the COVID-19 pandemic. *J Formos Med Assoc*. Published online 2026. doi:<https://doi.org/10.1016/j.jfma.2026.05.110>
13. Choi J, Williams D, Wizentier MM, Goodman MS, Guilamo-Ramos V, Hagan H. Facing the pandemic amidst mental health challenges: A longitudinal study of Black and Latino public housing residents. *J Affect Disord*. 2026;410:121950. doi:<https://doi.org/10.1016/j.jad.2026.121950>
14. Clavijo-Marín J, Gómez GJP, Rodriguez LAG, Castellanos-Roncancio CA, Koevesdy DMF, González-Ballesteros LM. Mental health and care in transition: The untapped potential of cultural transformation tools. *Soc Sci Humanit Open*. 2026;13:102700. doi:<https://doi.org/10.1016/j.ssaho.2026.102700>
15. Delgado-Corcoran C, Meeks HD, Wawrzynski SE, et al. Impact of Specialized Pediatric Palliative Care on Bereaved Parents' Mental and Physical Health. *J Pain Symptom Manage*. Published online 2026. doi:<https://doi.org/10.1016/j.jpainsymman.2026.05.014>
16. Elliott R. Getting their head in the game: Practice recommendations to support the mental health of adolescent footballers in academy settings. *Footb Stud*. 2026;1:100052. doi:<https://doi.org/10.1016/j.footst.2026.100052>
17. Eze P, Liu J, Brar T, et al. Identifying care gaps in female adolescent reproductive and mental health within epilepsy clinics: a single-center retrospective study. *Epilepsy Behav*. 2026;183:111143. doi:<https://doi.org/10.1016/j.yebeh.2026.111143>
18. Fairfax FG, Wilder JM. Race and Gender Disparities in Mental Health Documentation in Primary Care: Findings from a Video Vignette Experiment. *Soc Sci Med*. Published online 2026;119505. doi:<https://doi.org/10.1016/j.socscimed.2026.119505>
19. Famutimi EO, Okafor UB, Chukwuere PC. Mental health interventions for adolescent mothers: A systematic review of effectiveness and accessibility. *Heal Sci Rev*. 2026;19:100273. doi:<https://doi.org/10.1016/j.hsr.2026.100273>
20. Fitriani F, Anita F. Impact of husband support on maternal psychological well-being during pregnancy: a systematic review. *J Edukasi Ilm Kesehat*. 2025;3(2):55-62. doi:<https://doi.org/10.61099/junedik.v3i2.112>
21. Floyd TE, Browning MHEM, Herting MM, Cardenas-Iniguez C, Calhoun VD, Reuben A. Nature variables and mental health in the Adolescent Brain Cognitive Development (ABCD®) Study. *J Environ Psychol*. Published online 2026;103089. doi:<https://doi.org/10.1016/j.jenvp.2026.103089>
22. Frye WS, Ward SR, Johnston JD. Patient-reported perspectives of a temporal relationship between autonomic dysfunction and mental health symptoms in a pediatric population. *Auton Neurosci*. 2026;266:103445. doi:<https://doi.org/10.1016/j.autneu.2026.103445>
23. Gandré C, Baghdadli A, Coldefy M, et al. Contribution of the French national health data system to research on mental disorders: A public health perspective – insights from the

- mental disorders working group of the ReDSiam network. *J Epidemiol Popul Heal.* 2026;74(2):203365. doi:<https://doi.org/10.1016/j.jep.2026.203365>
24. Golden O, Eikey E V. Characterizing Mental Health Discussions in an Online Diet and Fitness App Community: A Qualitative Content Analysis of Users' Posts. *Comput Hum Behav Reports.* Published online 2026:101151. doi:<https://doi.org/10.1016/j.chbr.2026.101151>
25. Gómez-Leal R, Fernández-Berrocal P, Megías-Robles A. When feeling too much hurts: emotional intelligence profiles and their implications for mental health. *Pers Individ Dif.* 2026;262:113936. doi:<https://doi.org/10.1016/j.paid.2026.113936>
26. Gonsamo DD, Lo HHM, Chui WH, Zhang ZJ. Co-production in mental health care, research, and education: A scoping review of barriers and facilitators. *Soc Sci Med.* 2026;404:119474. doi:<https://doi.org/10.1016/j.socscimed.2026.119474>
27. Gordon AR, Flesaker M, Rohac R, Bailar S, Tan ASL, Austin SB. Association of Exposure to Online Harassment and Stigma With Mental Health Among Transgender and Nonbinary Young Adults in the United States. *J Adolesc Heal.* Published online 2026. doi:<https://doi.org/10.1016/j.jadohealth.2026.03.018>
28. Goulding AN, Fletcher TL, Miller ES. Perinatal Mental Health Screening and Care among those with Pregnancy Complications. *Am J Obstet Gynecol MFM.* Published online 2026:102006. doi:<https://doi.org/10.1016/j.ajogmf.2026.102006>
29. Haime Z, Pettinger I, Calver EM, et al. Understanding young people's online use from their perspective: Implications for mental health services. *Ment Heal Prev.* 2026;42:200512. doi:<https://doi.org/10.1016/j.mhp.2026.200512>
30. Halawa R, Liew A. Mental health of children with intellectual disabilities: assessment and support in the paediatric clinic. *Paediatr Child Health (Oxford).* Published online 2026. doi:<https://doi.org/10.1016/j.paed.2026.05.004>
31. Hennekam S, Beatty JE, Follmer K. Building mental health confidence: A three-step playbook for managers. *Organ Dyn.* 2026;55(3):101243. doi:<https://doi.org/10.1016/j.orgdyn.2026.101243>
32. Hu M, Ouyang Y, Li S, Huo J, Ye X. Housing wealth and mental health in urban China: Evidence from 10 years of longitudinal data. *Cities.* 2026;175:107237. doi:<https://doi.org/10.1016/j.cities.2026.107237>
33. Hu Y, Lu C, Guo Y, et al. Urban environment, mindfulness meditation and mental health: a bibliometric review. *Open House Int.* 2026;51(3):519-541. doi:<https://doi.org/10.1108/OHI-10-2025-0332>
34. Suprpto S, Djaha YTL. Professional Nursing Competence in Contemporary Healthcare: A Qualitative Study of Knowledge, Skills, and Attitudes Integration. *J Curr Heal Sci.* 2026;6(3):121-128. doi:<https://doi.org/10.47679/jchs.2026169>
35. Rose G, Orr M. A comparison of the workplace perceptions of lived experience and non-lived experience mental health support workers, the good news. *Ment Heal Soc Incl.* 2026;30(7):53-62. doi:<https://doi.org/10.1108/MHSI-01-2026-0024>